Web   Images   Groups   News   Froogle   Local   more »

Google [parse validate command object class metadat | Search]   Advanced Search
                                                                  Preferences

Web Results 1 - **10** of about **75,700** for <u>parse</u> <u>validate</u> <u>command</u> <u>object</u> <u>class</u> metadata <u>descriptive</u>. (0.43 se

Title Index
... Document **Object** Model (DOM) Level 3 **Validation** Specification · Document **Object**
Model ... The Evolution and Intent of **Metadata** Standards · WICD Core 1.0 ...
dret.net/biblio/titles - 918k - <u>Cached</u> - <u>Similar pages</u>

TDAN - Newton - Semantic Consistency for Data Interchange
Object Class – a set of ideas, abstractions or things in the real world ... an MDR as a rich
metadata resource to augment the sparse **metadata descriptive** ...
www.tdan.com/i027fe04.htm - 31k - <u>Cached</u> - <u>Similar pages</u>

ARCReader (Heritrix 1.7.3-200603011745)
This **class** knows how to **parse** an ARC file. Pass it a file path or an URL to an ARC. ... As
we **validate** records, we add a reference to the read **metadata**. ...
crawler.archive.org/apidocs/ org/archive/io/arc/ARCReader.html - 55k -
<u>Cached</u> - <u>Similar pages</u>

JHOVE Tutorial
Usage instructions for JHOVE (JSTOR/Harvard **Object Validation** Environment) ... -x sax-
class, specifies the SAX **parser class** name (defaults to the J2SE 1.4 ...
hul.harvard.edu/jhove/using.html - 49k - <u>Cached</u> - <u>Similar pages</u>

Understanding the Advisor Framework
... a static **class** that contains the knowledge of how to **parse** the URI string being ...
Advislets are **command objects** responsible for interacting with the ...
dev2dev.bea.com/pub/a/2003/02/Mamanteo.html - 29k - <u>Cached</u> - <u>Similar pages</u>

Cover Pages: Extensible Markup Language (XML)
XML **Metadata** Interchange Format (XMI) - **Object** Management Group (OMG). [CR:
19990330] ... This toolkit lets you **parse**, but not **validate**, XML documents. ...
xml.coverpages.org/xml.html - 425k - <u>Cached</u> - <u>Similar pages</u>

Cover Pages: General SGML/XML Applications
... by providing SGML meta-DTD architectural forms for describing the **object classes**, ... A
fully-compliant SGML **parser** would not **validate** an Open Financial ...
xml.coverpages.org/gen-apps.html - 238k - <u>Cached</u> - <u>Similar pages</u>

oreilly.com -- Online Catalog: Java RMI, First Edition
client-side, **validation**, 150-151 **command**-line **parsing**, 147 rmid, 403-405 ... Deposit
class, 112 **descriptive** methods, 124 **metadata** and, 124 ...
www.oreilly.com/catalog/javarmi/inx.html - 127k - <u>Cached</u> - <u>Similar pages</u>

Metadata
In **class**-based **object** -oriented languages, all the instances of a **class** will have ...
Metadata is read from databases and **objects** are generated from schema ...
www.laputan.org/**metadata**/**metadata**.html - 477k - <u>Cached</u> - <u>Similar pages</u>

Dries APT/YUM RPM Repository
ZIP files; advancescan **Command** line rom manager for MAME, MESS and Raine ... **parser**
and interface to RADIUS packets; perl-Rcs Perl **Object Class** for Revision ...

dries.ulyssis.org/apt/packages.html - 167k - Cached - Similar pages

Try your search again on Google Book Search

Goooooooooogle ▶

Result Page: 1 2 3 4 5 6 7 8 9 10   **Next**

Info when you want it, right on your desktop
Free! Download Google Desktop

Google
📰 News   « ▾
New lines of communication
Financial Times   3 hrs ago
✉ Email   « ▾
Lunch tomorrow?
Mandy M Y <..   11 min ago
☁ 61℉ Clear - Mount « ▾
☑ DJI 10434.87 -84. « ▾
Type to search
🔍 💬 📁 ⊘ 11:22 AM

parse validate command object clas| Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

©2006 Google

Web   Images   Groups   News   Froogle   Local   more »

Google parse validate command object   Search   Advanced Search
                                                         Preferences

Web   Results **11 - 20** of about **2,640,000** for **parse validate command object** . (0.08 seconds)

Parse and Validate Command Line Parameters with VB.NET
NET, you also need to **parse** and **validate command** line arguments. Use this
CommandLineParser assembly to define and **validate command** line arguments and ...
www.devx.com/dotnet/Article/10115/0/page/2 - 83k - Cached - Similar pages ·

Contents
Appendix E. IPRSE - A **parser** utility for z/TPF systems · **Parser** options that affect how the
input string matches the grammar · Special characters for input ...
publib.boulder.ibm.com/infocenter/tpfhelp/
current/topic/com.ibm.ztpf.doc_put.01/gtpc2/gtpc2m02.htm - 99k - Cached - Similar pages

An overview of xmlproc
This is the well-formedness **parser** that does not read the external DTD and which does not
validate. The second application (xvcmd.py) uses an **object** called ...
www.garshol.priv.no/download/ software/xmlproc/tutorial.html - 7k - Cached - Similar pages

XDK Sample - PL/SQL - XML Schema
//**Parse** the input XML document with Schema **Validation** docbytes = xml.getBytes(); ... Set
Schema **Object** for **Validation** dp.setXMLSchema(schemadoc); ...
www.oracle.com/technology/ tech/xml/xdk_sample/xdksample_093001.html - 50k -
Cached - Similar pages

parse_command tutorial
This function associates a player **command** with a routine to **validate** the input and act ...
int parse_command(string **command**, **object** env | **object** *oblist, ...
www.ipnet6.org/**parse_command**.html - 13k - Cached - Similar pages

SQL::Parser - validate and parse SQL strings
The new() method creates a SQL::**Parser object** which can then be used to **parse** and
validate the syntax of SQL strings. It takes two optional parameters - 1) ...
cpan.uwinnipeg.ca/htdocs/SQL-Statement/SQL/Parser.html - 17k - Cached - Similar pages

Command Line Parsing Module
Command Line **Parsing** Module ... Create an instance of the REGISTER **object**.
REGISTER_format (REGISTER *object): Print **object** to the screen in RFC-822 format. ...
www.bilkent.edu.tr/pub/WWW/Shen/ref/Cert_**command**.html - 3k - Cached - Similar pages

Command DOM Parse XML variable
The **command** can **validate** (or not) the document. Pass the name of the BLOB or Text ·
variable containing the XML **object** in the variable parameter. ...
www.4d.com/docs/cmu/CMU00720.HTM - 10k - Cached - Similar pages

Java Practices: Parse parameters into domain objects
Validation and **parsing** of HTTP request parameters are related topics. ... **Command**
objects · Repel invalid requests. Would you use this technique? ...
www.javapractices.com/Topic138.cjp - 13k - Cached - Similar pages

Grails - New Controller Types
When **validation** of the **command object** fails the form view is shown, otherwise the

success view is shown. ... Node **object** as parameter if **parsing** succeeds. ...
grails.codehaus.org/New+Controller+Types - 15k - <u>Cached</u> - <u>Similar pages</u>

◀ Goooooooooogle ▶

Result Page: **Previous** <u>1</u> **2** <u>3</u> <u>4</u> <u>5</u> <u>6</u> <u>7</u> <u>8</u> <u>9</u> <u>10</u><u>11</u>   **Next**

| parse validate command object | Search |

<u>Search within results</u> | <u>Language Tools</u> | <u>Search Tips</u>

<u>Google Home</u> - <u>Advertising Programs</u> - <u>Business Solutions</u> - <u>About Google</u>

©2006 Google